

Statistical Report
NO: 27 of 2019
2018/2019 Agricultural Production Survey
Crops



Bureau of Statistics
PO Box 455, Maseru 100, Lesotho
Tel: +266 22 323 852, +266 22 326 393
Fax: +266 310177
E-mail: agric@bos.gov.ls
Website: www.bos.gov.ls

Mission: To coordinate the National Statistical System (NSS) and produce accurate, timely and reliable culturally relevant and internationally comparable statistical data for evidence-based planning, decision making, research, policy, program formulation and monitoring and evaluation to satisfy the needs of users and producers.

Table of Contents

Table of Contents.....	i
List of Tables.....	iii
List of Figures.....	iv
1.0 Introduction	1
1.1 Sample Design.....	1
1.2 Method of Data Collection.....	1
2.0 Results and Findings	2
2.1 Household Characteristics.....	2
2.1.1 Agricultural Household Heads.....	2
2.1.2 Residential Status of Household Head	3
2.1.2 Household Members Contributing to Farming Activities	4
2.1.3 Main Activity of Household Members.....	5
2.1.4 Management of Fields.....	6
2.1.5 Decision Making.....	7
2.1.6 Educational Attainment	7
2.1.7 Source of Agricultural Household Income.....	8
2.2 Summer Crops	8
2.2.1 Area Planted.....	9
2.2.2 Area Fallow	10
2.2.3 Area Harvested.....	10
2.2.4 Production of Summer Crops	11
2.2.5 Summer Yield.....	12
2.2.6 Crop Failure	13
2.3 Winter Crops	14
2.3.1 Area Planted and Area Harvested	14
2.3.2 Winter Production	15
2.3.3 Winter Yield.....	16
2.3.4 Crop Failure	16
2.4 Operations, Inputs and Costs.....	17
2.4.1 Operations Performed on Fields.....	17
2.4.2 Field Ownership	18

2.4.3 Agricultural Inputs	19
2.4.3.1 Type of Fertilizers Used	19
2.4.3.2 Type of Seeds Used.....	20
2.4.3.3 Type of Pesticides Used	20
2.4.5 Purpose for Crop Production	21
ANNEX TABLES.....	22

List of Tables

Table 1: Percentage Distribution of Household Heads by Residential Status Sex and District, 2018/2019 Agricultural Year.....	4
Table 2: Percentage Distribution of Household Members Contributing to Farming by District and Month, 2018/2019 Agricultural Year.....	5
Table 3: Percentage Distribution of Household Members by Main Activity and Age Group, 2018/2019 Agriculture Year.....	6
Table 4: Percentage Distribution of Household Members Managing Fields by Ownership and Sex, 2018/2019 Agricultural Year.....	6
Table 5: Percentage Distribution of Household Members Who make Decisions by Ownership and Sex, 2018/2019 Agricultural Year.....	7
Table 6: Percentage distribution of Household Members by age Group and Educational Attainment, 2018/2019 Agricultural Year.....	8
Table 7: Percentage Distribution of Household Members by Zone and Source of Income, 2018/2019 Agricultural Year.....	8
Table 8: Area Planted to Five Major Crops by District and Crop, 2018/2019 Agricultural Year.....	9
Table 9: Area Planted to Five Major Crops by District and Crop, 2018/2019 Agricultural Year.....	10
Table 10: Area Planted and Area Harvested by Crop, 2018/2019 Agricultural Year.....	10
Table 11: Production for Five Major Crops by District, 2018/2019 Agricultural Year.....	11
Table 12: Yield (mt/ha) by Crop and District, 2018/2019 Agricultural Year.....	13
Table 13: Area Failed by Crop, 2018/2019 Agricultural Year.....	13
Table 14: Area Failed (ha) by District and Cause of Crop Failure in Summer, 2018/2019 Agricultural Year.....	14
Table 15: Area Planted (ha) and Area Harvested to Wheat and Peas, 2018/2019 Agricultural Year.....	15
Table 16: Wheat and Peas Production (mt) by District, in Winter 2018/2019 Agricultural Year.....	15
Table 17: Yield(mt/ha) by Crop and District in Winter, 2018/2019 Agricultural Year.....	16
Table 18: Area Failed by Crop and District in Winter, 2018/2019 Agricultural Year.....	16
Table 19: Area (ha) Ploughed, Disked, Planted and Weeded by District, 2018/2019 Agricultural Year.....	17
Table 20: Area Planted by Type of Field Operation and Five Major Crops, 2018/2019 Agricultural Year.....	18
Table 21: Type of Inorganic Fertilizers Used in Summer by Area (ha), Quantity (mt), and Amount (Maloti), 2018/2019 Agricultural Year.....	19
Table 22: Type of Organic Fertilizers Used by Area (ha), Quantity (mt), and Amount (Maloti), 2018/2019 Agricultural Year.....	20
Table 23: Quantity (mt) used and amount spent (in Maloti) by Type of Seeds, 2018/2019 Agricultural year.....	20
Table 24: Type of Pesticides Used by Area(ha), Quantity(lt/kg) and Amount(Maloti) Spent for	

2018/2019 Agricultural Year.....	21
Table 25: Crop Production by Purpose, 2018/2019 Agricultural Year.....	21

List of Figures

Figure 1: Percentage Distribution of Household Heads by District and Sex, 2018/2019 Agricultural Year	3
Figure 2: Percentage Distribution of Household Heads by Residential Status, 2018/2019 Agricultural Year	4
Figure 3: Production (mt) by Crop, 2014/2015 to 2018/2019 Agricultural Year	12
Figure 4: Expenditure on Operations (in Millions Maloti), 2018/2019 Agricultural Year	18

1.0 Introduction

The economy of Lesotho is mostly dependent on agriculture. The type of agriculture practiced is mainly subsistence with minimal commercial farming, across ten districts of Lesotho and covers four ecological zones; the Lowlands, Foothills, Mountains and Senqu River Valley (SRV). The Lowlands zone is most densely populated and intensively cultivated with relatively high chance of rainfall hence allows cultivation of summer and winter cropping. The Foothills zone as compared to Lowlands is less populated and has low rainfall. The Mountains zone is the largest zone of the country that is characterized by very cold winter, thus allowing only summer cropping. Senqu River Valley is the smallest zone which runs from the east to the west across the districts of Thaba-Tseka, Qacha's Nek, Quthing and Mole's Hoek along the Valley of Senqu River. The Valley is characterised by low rainfall especially in the South Western portion. It also allows both summer and winter cropping.

Agricultural Production Survey (APS) is an annual survey, which is undertaken by Agriculture and Food Security Statistics Division. APS runs from the 1st August to 31st July of the following year. APS concentrates on the production of both livestock and crops in the rural parts of the country.

The report covers farming household characteristics, area ploughed, planted, disked, weeded and harvested, crop production and yield, inputs applied on fields for both summer and winter seasons. It also covers the costs incurred for crop production.

1.1 Sample Design

Stratified multi-stage cluster sampling design was adopted for the selection of the sample of APS for 2018/2019 Agricultural Year. A total of 100 Primary Sampling Units (PSU's) were selected at the first stage in the rural areas of the country. A Probability Proportional to Size (PPS) was used for the selection of PSU's where households were taken as a measure of size. Individual farming households operating at least one field, constitute Secondary Sampling Units (SSU's) and systematic sampling technique was adopted for selection of SSU's. For the estimation of crop yield, ten fields for each of the main crops per PSU were selected following systematic sampling technique and these fields constitute third stage sample units.

1.2 Method of Data Collection

All fields operated by selected farming households whether planted or fallow were measured. Field measurement was done using Global Positioning System (GPS). Each enumerator was

responsible for one PSU. Data on yield was collected from two sampled sub-plots of 10 square meters each from selected fields.

Sub-plots were located using random numbers; a random number is selected to locate point 1 which is between 1 and the longest length of the field and the second random number; point 2 which is between 1 and the longest width of the field.

For yield calculation, an average weight of grains from the two sub-plots was taken for each field and average yield of the PSU in each zone within the district was derived. In order to get production, area harvested was multiplied by its crop yield.

Information on operations, inputs and their costs were collected from the farming households through face to face interview.

Note:

Zeros in this report do not necessarily mean that there were no agricultural operations performed or inputs used, but the sampled households did not perform such activities.

2.0 Results and Findings

The section covers information on production of five major crops: Maize, Wheat, Sorghum, Beans and Peas for 2018/2019 Agricultural Year. Farming household characteristics are also included.

2.1 Household Characteristics


The section provides household characteristics of farming households in the rural areas of Lesotho during 2018/2019 Agricultural Year. Some demographic characteristics such as age, sex, education and residential status are discussed.

2.1.1 Agricultural Household Heads

A household head is a person who makes day to day decisions for the household and whose authority is acknowledged by other members.

Figure 1 depicts percentage distribution of household heads by district and sex for 2018/2019 Agricultural Year. The total number of farming household heads was estimated to be 117,178. Botha-Bothe had the highest proportion of female headed households with 56.6 percent and the least was Qacha's Nek with 29.6 percent.

Figure 1: Percentage Distribution of Household Heads by District and Sex, 2018/2019 Agricultural Year



2.1.2 Residential Status of Household Head

Some agricultural household heads make decisions and other members acknowledge their authority even when they are not present within the household. Table 1 shows percentage distribution of household heads by residential status, sex and district.


According to Table 1, there were more males who were reported to be present than those who were absent in all districts. In Botha-Bothe, the highest percentage was of females who reported to be present (54.8 percent) followed by males (36.3) who also reported to be present. It can be observed that, on overall, there were more males (49.4 percent) present followed by females (35.6 percent) who reported to be present. The least were females (3.3 percent) who reported to be absent.

**Table 1: Percentage Distribution of Household Heads by Residential Status, Sex and District, 2018/2019
Agricultural Year**

District	Present		Absent		Total
	Male	Female	Male	Female	
Botha-Bothe	36.3	54.8	7.1	1.9	100.0
Leribe	50.4	31.6	13.4	4.7	100.0
Berea	56.3	28.3	13.3	2.1	100.0
Maseru	47.8	39.0	9.1	4.1	100.0
Mafeteng	49.9	27.0	17.9	5.2	100.0
Mohale's Hoek	45.8	35.9	13.6	4.6	100.0
Quthing	44.9	41.4	11.9	1.8	100.0
Qacha's Nek	57.6	27.8	12.8	1.8	100.0
Mokhotlong	52.8	33.6	11.7	2.0	100.0
Thaba-Tseka	46.5	46.3	6.3	0.8	100.0
Lesotho	49.4	35.6	11.7	3.3	100.0

Figure 2 shows percentage distribution of household heads by residential status. Most household heads were present (85.0 percent), followed by those who were in South-Africa with 11.6 percent.

**Figure 2: Percentage Distribution of Household Heads by Residential Status, 2018/2019
Agricultural Year**



2.1.2 Household Members Contributing to Farming Activities

Table 2 reveals percentage distribution of household members contributing to farming by district and months during 2018/2019 Agricultural Year. It can be observed from the table that 25.1 percent of members who contributed for the whole agricultural year (10-12 months) were from Leribe followed by 17.3 percent from Thaba-Tseka

Table 2: Percentage Distribution of Household Members Contributing to Farming by District and Month, 2018/2019 Agricultural Year

District	1-3 months	4-6 months	7-9 months	10-12 months	Total
Botha-Bothe	43.0	14.7	10.4	31.9	100.0
Leribe	44.6	10.4	9.9	35.1	100.0
Berea	45.0	20.2	14.5	20.3	100.0
Maseru	47.5	19.4	10.4	22.7	100.0
Mafeteng	64.8	15.1	6.8	13.4	100.0
Mohale's Hoek	28.1	18.8	13.7	39.3	100.0
Quthing	27.0	22.3	17.9	32.8	100.0
Qacha's Nek	50.2	21.2	13.3	15.3	100.0
Mokhotlong	56.7	18.0	10.7	14.6	100.0
Thaba-Tseka	22.2	10.9	11.5	55.4	100.0
Lesotho	44.0	16.3	11.4	28.3	100.0

2.1.3 Main Activity of Household Members

The sub section covers main activity of every household member aged ten years and above. Table 3 presents percentage distribution of household members by main activity and age group for 2018/2019 Agricultural Year. It can be observed from the table that all employers were in the age group of 30 to 44. It further shows that most household members who were employed with salary were in the age group “15-29” and “30-44” with 37.7 percent and 36.1 percent respectively. More farmers were in age groups 45 to 64 with 38.2 percent followed by those aged 65 to 84 with 33.0 percent.

**Table 3: Percentage Distribution of Household Members by Main Activity and Age Group, 2018/2019
Agriculture Year**

Main Activity	Age Group						Total
	10-14	15-29	30-44	45-64	65-84	85+	
Farmer(subsistence)	0.5	7.1	19.7	38.2	33.0	1.5	14.9
Employer	0.0	0.0	100.0	0.0	0.0	0.0	0.0
Own Account	0.0	13.7	50.9	25.9	8.6	1.0	2.3
Regular Wage	0.9	37.7	36.1	23.4	1.8	0.0	16.1
Casual Worker	0.0	30.4	40.5	25.1	4.0	0.0	5.4
Unpaid Family worker	6.7	72.6	16.3	3.3	1.1	0.0	8.2
Job Seeking	0.6	60.0	31.8	7.5	0.0	0.0	3.3
Job seeking for the first time	0.0	74.4	23.4	2.2	0.0	0.0	1.0
Home Maker	0.0	9.3	21.4	43.5	25.8	0.0	1.5
House Wife	0.6	31.6	21.6	22.7	18.6	5.0	21.3
Retired	0.0	0.0	0.0	20.3	63.4	16.2	0.5
Student	62.7	37.0	0.2	0.0	0.1	0.0	24.7
Other	7.6	28.3	10.7	15.6	31.0	6.8	0.6

2.1.4 Management of Fields

Management includes among others, overseeing of farming activities in a household and is a vital role in the agricultural crop production. Table 4 presents percentage distribution of household members managing fields by ownership and sex for 2018/2019 Agricultural Year.

Amongst all people who managed fields, males dominated females on fields that were “owned” (60.7 percent) and on fields that were “not owned” (61.8 percent). About 51.6 percent of females who did not manage nor own fields, dominated males who did not manage nor own fields (48.4 percent).

**Table 4: Percentage Distribution of Household Members Managing Fields by Ownership and Sex, 2018/2019
Agricultural Year**

Ownership	Manage			Don't Manage		
	Male	Female	Total	Male	Female	Total
Owned	60.7	39.3	100.0	51.9	48.1	100.0
Not Owned	61.8	38.2	100.0	48.4	51.6	100.0

2.1.5 Decision Making

Decisions regarding activities that may be performed in the fields can be done by different sex. Table 5 shows percentage distribution of household members who make decisions by ownership and sex for 2018/2019 Agricultural Year. It is observed from the table that 59.8 percent of males reported owning fields and making decisions on such fields. It is also observed that 50.5 percent of females do not own fields but make decisions.

Table 5: Percentage Distribution of Household Members Who make Decisions by Ownership and Sex, 2018/2019 Agricultural Year

Sex	Owned	Not Owned	Total
Male	59.8	40.2	100.0
Female	49.5	50.5	100.0
Lesotho	51.7	48.3	100.0

2.1.6 Educational Attainment

The educational attainment is about the highest qualification a member in a selected household has attained. Only highest qualification in primary school and secondary school were considered. Non-Graduate qualification included certificate/diploma after primary, vocational after primary, certificate/diploma after secondary an vocational after secondary. Graduate include members with first degree and honours/Post Graduate diploma.

Table 6 shows the percentage distribution of household members by sex and educational attainment for 2018/2019 Agricultural Year. It is observed from the table that, from members who did not attain any educational qualification, males constituted 64.1 percent while females constituted 35.1 percent. About 63.0 percent of members with graduate qualifications were females and males constituted 37.0 percent. In overall, more members attained non-graduate qualifications (49.3 percent) followed by those who have attained std 7 certificate (24.6 percent).

Table 6: Percentage distribution of Household Members by Educational Attainment and Sex, 2018/2019 Agricultural Year

Education	Male	Female	Total
None	64.9	35.1	17.9
std 7	47.2	52.8	24.6
Form 5	46.4	53.6	6.7
Non-Graduate	53.5	46.5	49.3
Graduate	37.0	63.0	0.6
Non-formal edu	69.4	30.6	0.8

2.1.7 Source of Agricultural Household Income

Household members get income from different sources in order to carry out day today activities. Table 7 shows percentage distribution of household members by zone and source of income for 2018/2019 Agricultural Year. It is observed from the table that majority of household members get income from subsistence farming (32.2 percent) followed by wages and salaries (19.3 percent).

Table 7: Percentage Distribution of Household Members by Zone and Source of Income, 2018/2019 Agricultural Year

Zone	Subsistence Farming	Cash Crop	Livestock	Livestock Products	Remittance /Transfers	Wages/ Salary	Pension Fund	Old Age Benefit/Social Grant	Other	Total
Lowlands	34.4	2.1	7.3	3.5	7.6	21.0	1.4	14.6	8.2	100.0
FootHills	28.6	2.0	5.7	5.2	13.2	23.7	1.0	15.7	4.8	100.0
Mountains	32.5	4.0	6.8	11.7	5.9	15.1	0.8	14.5	8.8	100.0
SRV	28.2	3.5	11.7	8.4	7.0	17.4	2.5	14.2	7.1	100.0
Total	32.2	2.8	7.4	6.7	7.9	19.3	1.3	14.7	7.7	100.0

2.2 Summer Crops

Summer season crops are planted between 1st August and 31st January of the following year. Section 2.2 covers information on area planted, area harvested, production as well as yield for maize, sorghum, wheat, beans and peas.

2.2.1 Area Planted

Area Planted refers to cultivated and sown land in hectares (ha) to pure stand crops such as maize, sorghum, wheat, beans, peas and mixtures of these crops such as maize and beans, maize and sorghum, sorghum and beans, beans and peas and other crop mixtures.

Table 8 presents area planted to five major crops by district for 2018/2019 Agricultural Year. The total area planted to maize was 44,296ha showing a decrease of 69.7 percent compared to 146,313ha of the previous year. Leribe had the highest area planted to maize with 9,661ha, followed by Maseru with 7,810ha. The least area planted to maize was observed in Quthing (1,037ha).

Area planted to sorghum (15,539ha) had decreased by 82.5 percent compared to the area planted to sorghum in 2017/2018 Agricultural Year (88,999ha).

The highest area planted to sorghum was recorded in Leribe with 9,292ha while Mokhotlong was the least with 224ha. Area planted to Wheat (3,332ha) decreased by 59.6 percent when compared to area planted to wheat in 2017/2018 (8,246ha). Thaba Tseka had the highest area planted to wheat with 1,640ha followed by Mokhotlong with 940ha.

Table 8: Area Planted to Five Major Crops by District and Crop, 2018/2019 Agricultural Year

District	Area Planted (ha)				
	Maize	Wheat	Sorghum	Beans	Peas
Botha Bothe	1,267	27	257	84	23
Leribe	9,661	299	9,292	878	70
Berea	6,984	0	1,399	338	70
Maseru	7,810	199	1,433	1,049	84
Mafeteng	3,642	0	550	959	0
Mohale's Hoek	2,675	0	622	215	0
Quthing	1,037	27	359	127	5
Qacha's Nek	1,407	200	279	201	18
Mokhotlong	4,742	940	224	648	155
Thaba Tseka	5,071	1,640	1,123	220	72
Lesotho	44,296	3,332	15,539	4,718	496

2.2.2 Area Fallow

Area fallow refers to agricultural land that was temporarily uncultivated with crops for the minimum of three years. Table 9 presents area fallow by district from 2014/2015 to 2018/2019 Agricultural Years. In 2015/2016, area fallow increased from 46,605 to 246,340ha. A decline of 36.9 percent was observed in 2016/2017. In 2017/2018, area fallow decreased by 1.9 percent. A further decrease of 50.5 percent was observed in 2018/2019.

Table 9: Area Planted to Five Major Crops by District and Crop, 2018/2019 Agricultural Year

District	Area Fallow (ha)				
	2014/2015	2015/2016	2016/2017	2017/2018	2018/2019
Botha-Bothe	1,121	5,240	3,645	3,012	1,788
Leribe	6,038	40,619	46,430	25,994	12,306
Berea	8,060	31,632	16,259	15,147	10,312
Maseru	7,924	44,926	18,728	36,656	16,145
Mafeteng	12,638	56,878	46,074	39,578	17,344
Mohale's Hoek	4,321	34,815	9,823	11,754	10,303
Quthing	1,484	19,145	2,522	5,373	1,813
Qacha's Nek	1,627	6,097	3,217	1,653	763
Mokhotlong	1,511	4,345	4,504	4,408	1,665
Thaba-Tseka	1,881	2,643	4,203	8,862	2,959
Lesotho	46,605	246,340	155,407	152,436	75,398

2.2.3 Area Harvested

Area harvested is the difference between area planted and area failed for each crop. Table 10 portrays area planted and area harvested for five major crops. Out of 44,296ha planted to maize, 72.3 percent was harvested (32,026ha). Area planted to sorghum was 15,539ha and 92.8 percent was harvested (14,419ha). On the other hand, area planted to wheat was 3,332ha and about 68.8 percent (2,292ha) was harvested.

Table 10: Area Planted and Area Harvested by Crop, 2018/2019 Agricultural Year

Crop	Area Planted	Area Harvested
Maize	44,296	32,026
Wheat	3,332	2,292
Sorghum	15,539	14,419
Beans	4,718	2,279
Peas	496	243

2.2.4 Production of Summer Crops

Production is the overall crop-output obtained from the harvested fields. Table 11 presents production in metric tonnes (mt) for five major crops in 2018/2019 Agricultural Year. Maize Production for 2018/2019 Agricultural Year was 24,621mt. The highest production of maize was in Berea with 6,131mt. Qacha's Nek was lowest with 295mt.

Sorghum production was estimated at 8,412mt. Leribe had the highest production with 4,573mt while Botha-Bothe recorded the least (60mt) production. Wheat production was 1,432mt, Mokhotlong recorded the highest production with 1,060mt. The total beans production was 833mt, out of which Mokhotlong had the highest production of 321mt and Berea had the lowest (1mt).

Table 11: Production for Five Major Crops by District, 2018/2019 Agricultural Year


District	Production (mt)				
	Maize	Wheat	Sorghum	Beans	Peas
Botha Bothe	1,200	0	60	3	1
Leribe	4,921	122	4,573	240	2
Berea	6,131	0	1,792	1	48
Maseru	1,963	40	410	12	0
Mafeteng	1,124	0	401	179	0
Mohale's Hoek	696	0	249	55	0
Quthing	308	5	132	15	2
Qacha's Nek	295	51	77	34	6
Mokhotlong	5,285	1,060	309	321	54
Thaba Tseka	2,697	153	408	22	29
Lesotho	24,621	1,432	8,412	883	143

Figure 3 shows the trend of production (mt) by Crop from 2014/2015 to 2018/2019 Agricultural Years. Maize production decreased by 74.1 percent to 17,012mt from 2014/2015 to 2015/2016 Agricultural year. It thereafter increased to 172,666mt in 2016/2017 Agricultural Year, followed by a decrease of 36.3 percent in 2017/2018. It further decreased by 77.3 percent in 2018/2019 Agricultural Year.

In 2015/2016 Agricultural Year, sorghum production decreased by 87.8 percent (from 9,529mt to 1,159mt). It then increased to 33,858mt in 2016/2017. Another increase of 32.2 percent in 2017/2018 was recorded. Sorghum production thereafter decreased by 79.1 percent in 2018/2019 Agricultural Year.

Wheat production decreased by 40.2 percent from 6,652mt of 2014/2015 to 3,975 of 2015/2016. In 2016/2017, wheat production increased from 3,975mt to 8,851mt, followed by a decrease of 21.2 percent in 2017/2018 followed by another decrease of 79.4 percent in 2018/2019 Agricultural Year.

Figure 3: Production (mt) by Crop, 2014/2015 to 2018/2019 Agricultural Year



2.2.5 Summer Yield

Yield is production per area harvested. Yield is considered to be poor when it is below 0.5mt/ha, and good at 0.5mt/ha and above.

Yield of five major crops for 2018/2019 is illustrated by Table 12. Maize Yield (mt/ha) was 0.8mt/ha while that of sorghum was 0.6mt/ha. The highest maize yield was noted in Berea with 1.3mt/ha and the least in Qacha's Nek with 0.3mt/ha.

Wheat yield in 2018/2019 Agricultural Year was 0.6mt/ha. The highest yield was observed in Mokhotlong (1.2mt/ha).

Table 12: Yield (mt/ha) by Crop and District, 2018/2019 Agricultural Year

District	Yield (mt)				
	Maize	Wheat	Sorghum	Beans	Peas
Botha Bothe	1.1	0.0	0.3	0.2	0.9
Leribe	0.9	0.6	0.5	0.4	0.1
Berea	1.3	0.0	1.5	0.0	0.7
Maseru	0.4	0.0	0.3	0.2	0.0
Mafeteng	0.5	0.0	0.7	0.2	0.0
Mohale's Hoek	0.4	0.0	0.5	0.5	0.0
Quthing	0.5	0.4	0.5	0.2	0.3
Qacha's Nek	0.3	0.3	0.4	0.3	0.4
Mokhotlong	1.2	1.2	1.4	0.8	0.9
Thaba Tseka	0.6	0.2	0.5	0.2	0.6
Lesotho	0.8	0.6	0.6	0.4	0.6

2.2.6 Crop Failure

Crop Failure is a condition whereby a crop does not reach its maturity stage, or gets destroyed prior to harvesting period. Table 13 shows area failed by crop for 2018/2019 Agricultural Year. It was observed that maize had the highest Crop Failure (12,270ha) followed by beans with 2,440ha. Peas was the least with 253ha.

Table 13: Area Failed by Crop, 2018/2019 Agricultural Year

District	Maize	Wheat	Sorghum	Beans	Peas
Botha Bothe	180	27	75	68	22
Leribe	4,007	95	26	283	36
Berea	2,106	0	194	263	0
Maseru	2,366	75	227	998	84
Mafeteng	1,539	0	0	241	0
Mohale's Hoek	859	0	144	111	0
Quthing	400	12	107	34	0
Qacha's Nek	290	45	72	86	0
Mokhotlong	172	20	0	242	92
Thaba Tseka	350	766	275	114	20
Lesotho	12,270	1,040	1,120	2,440	253

2.2.6.1 Reasons for Crop Failure

The reasons for crop failure are early frost, hail, flood, drought, pests, weeds, animals, late planting among others. The category “other” comprises reasons such as leaching, poor planting methods and pre-harvest losses amongst other things.

Table 14 potrays area failed in hecters by district and cause of crop failure in summer, 2018/2019 Agricultural Year. Drought contributed the most to crop failure with 17,299ha followed by late planting with 14,014ha. The district that had the highest area failed due to drought was Maseru with 4,084ha followed by Thaba Tseka with 2,764ha. Pests contributed the least to Crop Failure (197ha).

Table 14: Area Failed (ha) by District and Cause of Crop Failure in Summer, 2018/2019 Agricultural Year

District	Early Frost	Hail	Flood	Drought	Pests	Weeds	Animals	Late Planting	Other
Botha Bothe	0	0	0	389	0	97	99	355	0
Leribe	511	179	0	2,758	0	414	637	1,943	178
Berea	0	104	104	2,337	197	113	637	3,426	0
Maseru	133	560	123	4,084	0	245	700	2,595	130
Mafeteng	0	0	0	719	0	107	98	2,042	0
Mohale's Hoek	0	0	202	1,539	0	0	196	1,728	0
Quthing	0	0	0	395	0	97	0	966	0
Qacha's Nek	0	0	0	1,031	0	255	66	535	0
Mokhotlong	414	0	0	1,283	0	0	0	320	0
Thaba Tseka	512	0	0	2,764	0	310	97	103	0
Lesotho	1,570	843	429	17,299	197	1,636	2,530	14,014	307

2.3 Winter Crops

Winter season crops are crops that are planted between 1st February and 31st July. The section covers information on area planted, area harvested, production as well as yield for wheat and peas.

2.3.1 Area Planted and Area Harvested

Table 15 shows area planted and area harvested to wheat and peas for 2018/2019 Agricultural Year. Area planted to wheat was 1,221ha, showing a decrease of 50.9 percent from 2,489ha of the previous year. Area harvested also decreased by 5.4 percent from 906ha of 2017/2018 Agricultural Year. Area planted to peas was 664ha and had increased by 34.1 percent from 495ha in 2017/2018.

Table 15: Area Planted (ha) and Area Harvested to Wheat and Peas, 2018/2019 Agricultural Year

District	Wheat		Peas	
	Area Planted	Area Harvested	Area Planted	Area Harvested
Botha- Bothe	0	0	0	0
Leribe	34	0	97	90
Berea	310	151	185	60
Maseru	429	348	91	55
Mafeteng	121	38	291	37
Mohale's Hoek	327	259	0	0
Quthing	0	0	0	0
Qacha's Nek	0	0	0	0
Mokhotlong	0	0	0	0
Thaba-Tseka	0	0	0	0
Lesotho	1,221	796	664	242

2.3.2 Winter Production

Table 16 illustrates wheat and peas production by district in winter for 2018/2019 Agricultural Year. Wheat production was 352mt and had increased by 357.1 percent compared to 2017/2018 production (77mt). Wheat production was high in Berea, 142mt.

Table 16: Wheat and Peas Production (mt) by District, in Winter 2018/2019 Agricultural Year

District	Wheat	Peas
Botha- Bothe	0	0
Leribe	0	9
Berea	142	3
Maseru	131	3
Mafeteng	54	6
Mohale's Hoek	25	0
Quthing	0	0
Qacha's Nek	0	0
Mokhotlong	0	0
Thaba-Tseka	0	0
Lesotho	352	21

2.3.3 Winter Yield

Table 17 presents yield by crop and district for 2018/2019 Agricultural Year. Wheat yield in 2018/2019 Agricultural Year was 1.12mt/ha while that of peas was 0.09mt/ha. Both wheat yield and peas yield was higher in Mafeteng with 1.45mt/ha and 0.15mt/ha respectively.

Table 17: Yield (mt/ha) by Crop and District in Winter, 2018/2019 Agricultural Year

District	Wheat	Peas
Botha- Bothe	0.00	0.00
Leribe	0.00	0.10
Berea	0.94	0.05
Maseru	0.38	0.05
Mafeteng	1.45	0.15
Mohale's Hoek	0.10	0.00
Quthing	0.00	0.00
Qacha's Nek	0.00	0.00
Mokhotlong	0.00	0.00
Thaba-Tseka	0.00	0.00
Lesotho	0.44	0.09

2.3.4 Crop Failure

Table 18 illustrates area failed by crop and district in winter for 2018/2019 Agricultural Year. Out of 1,221ha that was planted wheat, 425ha had failed. Leribe had the highest failure of 159ha. Total area of peas failed was 422ha.

Table 18: Area Failed by Crop and District in Winter, 2018/2019 Agricultural Year

District	Wheat	Peas
Botha- Bothe	0	0
Leribe	34	7
Berea	159	125
Maseru	81	36
Mafeteng	81	254
Mohale's Hoek	68	0
Quthing	0	0
Qacha's Nek	0	0
Mokhotlong	0	0
Thaba-Tseka	0	0
Lesotho	425	422

2.4 Operations, Inputs and Costs

The section provides a summary of all the expenses incurred for producing crops, information on field operations, types and quantity of inputs used.

2.4.1 Operations Performed on Fields

Table 19 gives the total area of hectares on which agricultural operations by district were performed. The total area of ploughing, disking, planting, and weeding were 69,997ha, 38,638ha, 69,818ha and 55,960ha respectively.


Maseru had the highest area performed on ploughing (13,145ha) and disking (10,379ha) while weeding and planting was mostly done in Leribe by 9,999ha and 20,444ha respectively. Quthing had the least of area performed for all operations except disking which was Botha-Bothe by 84ha.

Table 19: Area (ha) Ploughed, Disked, Planted and Weeded by District, 2018/2019 Agricultural Year

District	Ploughing	Disking	Planting	Weeding
Botha Buthe	1,478	84	1,689	1,480
Leribe	12,361	2,387	20,444	9,999
Berea	9,767	4,776	8,800	8,800
Maseru	13,145	10,379	10,889	9,076
Mafeteng	5,727	369	5,185	5,185
Mohale'shoek	4,791	1,951	3,512	3,512
Quthing	1,455	1,390	1,555	1,177
Qacha'snek	2,481	1,725	2,127	2,127
Mokhotlong	8,145	7,303	6,884	6,201
Thaba-Tseka	10,647	8,274	8,734	8,403
Lesotho	69,997	38,638	69,818	55,960

Figure 4: illustrates the actual amount spent on operations for the 2018/2019 Agricultural Year. The highest amount (M12,207,262.00) was spend on ploughing while the least amount (M1,038,846.00) was on disking.

Figure 4: Expenditure on Operations (in Millions Maloti), 2018/2019 Agricultural Year



2.4.2 Field Ownership

It is important to know how much land is being utilized for agricultural farming activities and how fields are operated. The term field operation refers to the manner in which the farmer operates the field. Fields can be owned and operated by the owner, share cropped or rented in. Table 20 shows area planted by type of field operation and crop for 2018/2019 Agricultural Year. The highest amount of the total area planted was owned and operated by the owner (59,059ha) while the total area owned but operated by Project was the least with 485ha. The area planted to maize was higher for all these type of operations.

Table 20: Area Planted by Type of Field Operation and Five Major Crops, 2018/2019 Agricultural Year

Crop	Owned and owner operated	Owned and share cropped	Owned but operated by Project	Not owned but Operated	Not owned but rented in
Maize	39,074	2,477	456	1,987	302
wheat	2,860	456	0	15	0
Sorghum	13,016	2,148	29	137	210
Beans	3,704	773	0	201	39
Peas	405	75	0	9	7
Total	59,059	5,930	485	2,349	558

2.4.3 Agricultural Inputs

The main inputs for crop production are fertilizers, pesticides and seeds.

2.4.3.1 Type of Fertilizers Used

There are two types of fertilizers, namely organic fertilizers which are composed of enriched organic matter (plant or animal) and inorganic fertilizers which are composed of synthetic chemicals or minerals.

Table 21 shows inorganic fertilizers used in summer by area (ha), quantity and actual amount spent (Maloti) for the 2018/2019 Agricultural Year. The most commonly used inorganic fertilizer was 6:2:1(31) with 1,490mt and was applied on 12,633ha costing M4,374,133. Fertilizer 3:2:1(32) followed with 416mt, applied on 3,062ha costing M1,018,531.

Table 21: Type of Inorganic Fertilizers Used in Summer by Area (ha), Quantity (mt), and Amount (Maloti), 2018/2019 Agricultural Year

Inorganic Fertilizer	Area	Quantity	Amount
Double super	166	9	29,447
Single supers	353	50	44,529
3:2:1 (35)	880	97	335,545
3:2:1 (25)	3,567	360	1,292,520
LAN	37	5	17,731
2:3:2 (22)	1,733	187	614,623
Lime	0	0	0
Urea	118	13	0
3:2:1 (32)	3,062	416	1,018,531
3:2:1 (30)	0	0	0
6:2:1 (31)	12,633	1490	4,374,133
Total	22,549	2,627	7,727,060

Farmers in Lesotho use various organic fertilizers. Table 22 shows types of organic fertilizers used, by area, quantity and amount. In total, 6,112mt of organic fertilizers was applied on 35,421ha costing M454,847. The most commonly used organic fertilizer was Cattle manure (5,410mt) which was applied to 33,682ha, amounting to M265,700.

Table 22: Type of Organic Fertilizers Used by Area (ha), Quantity (mt), and Amount (Maloti), 2018/2019 Agricultural Year

Organic Feterliler	Area	Quantity	Amount
Ash	195	74	50,747
Cattle Manure	33,682	5,410	265,700
Horse Manure	157	77	0
Pig Manure	84	5	0
Sheep Manure	1,303	546	138,401
Poultry	0	0	0
Guano	0	0	0
Composts	0	0	0
Seware waste	0	0	0
Total	35,421	6,112	454,847

2.4.3.2 Type of Seeds Used

There are two types of seeds, Hybrid and Non-hybrid.

Table 23 shows type of seeds by quantity of seeds used in metric tonnes and amount spent for the 2018/2019 Agricultural year. The highest quantity of seeds used was non-hybrid with 2,712mt. The total amount spent on seeds was M8,693,456.

Table 23: Quantity (mt) used and amount spent (in Maloti) by Type of Seeds, 2018/2019 Agricultural year

Seed Type	Quantity	Amount
Non-Hybrid	2,527	4,355,286
Hybrid	185	4,338,169
Total	2,712	8,693,456

2.4.3.3 Type of Pesticides Used

Pesticides are chemicals used to control pests. Table 24 shows type of pesticides, area (ha) applied, quantity (lt/kg) used and amount (Maloti) spent for 2018/2019 Agricultural Year. The largest quantity of pesticide used was Fastac with 8,876lt applied on 2,891ha amounting to M160,909. Metasystox (214lt) was the smallest quantity of pesticide used.

Table 24: Type of Pesticides Used by Area (ha), Quantity (lt/kg) and Amount (Maloti) Spent for 2018/2019 Agricultural Year

Pesticides	Area	Quantity	Amount
Malathion	395	1,661	73,263
Metasystox	118	214	38,572
Ripcort	261	233	57,295
Karate	129	413	9,658
Lanacol	103	179	40,166
Aphicides	476	3,251	31,946
Dithane	278	643	116,251
Cutworm Bait	169	264	35,591
Fastac	2,891	8,876	160,909
Other	658	2,460	183,623
Don't Know	801	1,652	186,284

2.4.5 Purpose for Crop Production

Crops in Lesotho are produced mainly for consumption and selling.

Table 25 shows crop production by purpose for the 2018/2019 Agricultural Year. Most of the households planted crops for consumption (105,001ha) while 7,318ha households produced for “Both Consumption and Selling”.

Table 25: Crop Production (ha) by Purpose, 2018/2019 Agricultural Year

Crop	Purpose		
	Consumption	Selling	Both Consumption and Selling
Maize	58,126	215	1,694
Wheat	9,787	103	322
Sorghum	11,941	174	1,521
Beans	18,928	847	3,016
Peas	3,901	0	476
Beans and Sorghum	253	0	0
Maize and Beans	2,064	0	288
Total	105,001	1,340	7,318

ANNEX TABLES

Table 1: Number of Household Heads by District and Sex, 2018/2019 Agricultural Year

District	Zone	Male	Female
Botha-Bothe	Lowlands	1,141	1,311
	FootHills	650	1,200
	Mountains	566	566
	Total	2,358	3,078
Leribe	Lowlands	8,089	5,036
	FootHills	2,314	882
	Mountains	2,586	1,478
	Total	12,989	7,395
Berea	Lowlands	7,907	3,903
	FootHills	3,087	890
	Total	10,994	4,793
Maseru	Lowlands	8,120	5,055
	FootHills	3,353	3,873
	Mountains	1,196	665
	Total	12,670	9,592
Mafeteng	Lowlands	6,046	2,741
	FootHills	876	550
	Total	6,922	3,291
Mohale's Hoek	Lowlands	2,336	923
	FootHills	673	289
	Mountains	1,138	931
	SRV	2,479	2,378
	Total	6,626	4,520
Quthing	Mountains	1,628	1,442
	SRV	1,585	1,000
	Total	3,213	2,442
Qacha's Nek	Mountains	1,621	825
	SRV	1,712	574
	Total	3,333	1,399
Mokhotlong	Mountains	6,552	3,621
	Total	6,552	3,621
Thaba-tseka	Mountains	4,890	4,551
	SRV	1,129	821
	Total	6,019	5,372
Lesotho		71,675	45,503

Table 2: Distribution of Household Heads by Residential Status and Sex, 2018/2019 Agricultural Year

District	Zone	Present		Elsewhere in Lesotho		RSA		Outside Lesotho and RSA	
		Male	Female	Male	Female	Male	Female	Male	Female
Botha-Bothe	Lowlands	4,856	5,030	392	101	177	89	0	0
	FootHills	2,982	3,249	0	0	176	153	0	0
	Mountains	1,699	3,021	94	94	189	0	0	0
	Total	9,538	11,300	486	196	542	242	0	0
Leribe	Lowlands	24,221	24,386	1,130	1,958	4,897	3,821	964	608
	FootHills	6,495	5,011	908	766	1,674	499	0	0
	Mountains	9,207	7,433	91	365	287	210	301	406
	Total	39,923	36,830	2,129	3,089	6,859	4,529	1,265	1,014
Berea	Lowlands	25,600	20,777	1,055	1,197	4,283	1,999	108	0
	FootHills	7,959	9,469	214	541	665	107	0	0
	Total	33,559	30,246	1,269	1,738	4,947	2,106	108	0
maseru	Lowlands	25,862	22,999	2,266	1,479	2,182	1,947	140	0
	FootHills	14,431	16,861	1,291	880	604	864	102	0
	Mountains	4,652	4,120	665	133	266	133	0	0
	Total	44,944	43,980	4,222	2,491	3,052	2,943	242	0
Mafeteng	Lowlands	18,318	17,235	281	836	2,398	857	0	0
	FootHills	2,509	2,649	432	112	443	107	0	0
	Total	20,827	19,884	713	948	2,842	964	0	0
Mohale's Hoek	Lowlands	5,796	5,384	611	508	1,726	1,428	0	0
	FootHills	1,058	770	481	96	192	0	0	0
	Mountains	3,719	3,619	206	207	311	311	0	0
	SRV	7,645	7,956	413	1,439	1,326	311	100	0
	Total	18,217	17,729	1,711	2,250	3,555	2,050	100	0
Quthing	Mountains	5,500	6,019	272	103	1,573	958	0	0
	SRV	5,060	4,463	318	205	1,843	1,009	0	0
	Total	10,560	10,482	590	308	3,416	1,967	0	0
Qacha'sNek	Mountains	5,092	6,393	96	372	958	351	0	0
	SRV	4,965	4,155	242	242	472	187	0	0
	Total	10,057	10,548	338	615	1,429	539	0	0
Mokhotlong	Mountains	19,442	20,165	1,928	2,410	1,569	726	0	0
	Total	19,442	20,165	1,928	2,410	1,569	726	0	0
Thaba-Tseka	Mountains	18,742	18,892	805	1,411	615	303	0	0
	SRV	3,180	3,182	514	411	308	103	0	0
	Total	21,922	22,074	1,319	1,822	923	406	0	0
Lesotho		228,988	223,237	14,705	15,867	29,133	16,471	1,714	1,014

**Table 3: Distribution of Household Members Contributing to Farming by District and Time, 2018/2019
Agricultural Year**

District	Zones	0 months	1-3 months	4-6 months	7-9 months	10-12 months
Botha-Bothe	Lowlands	3,264	2,610	1,456	493	1,883
	FootHills	1,223	2,259	252	329	1,701
	Mountains	1,038	1,227	378	661	944
	Total	5,526	6,096	2,085	1,482	4,528
Leribe	Lowlands	14,454	20,390	4,382	2,820	10,970
	FootHills	830	4,011	1,614	2,421	4,100
	Mountains	3,991	2,942	365	835	6,489
	Total	19,275	27,342	6,361	6,076	21,559
Berea	Lowlands	17,688	10,645	5,834	4,339	7,048
	FootHills	3,172	7,107	2,123	1,392	964
	Total	20,860	17,753	7,957	5,731	8,012
maseru	Lowlands	18,428	13,293	6,988	3,293	5,823
	FootHills	9,264	7,794	3,951	2,581	6,988
	Mountains	2,791	5,715	0	0	0
	Total	30,483	26,802	10,939	5,874	12,812
Mafeteng	Lowlands	10,210	14,437	3,338	1,681	3,198
	FootHills	1,409	2,654	640	107	337
	Total	11,619	17,091	3,978	1,787	3,534
Mohale's Hoek	Lowlands	5,085	1,730	1,830	2,239	1,729
	FootHills	385	770	577	0	385
	Mountains	1,340	1,447	1,553	311	2,272
	SRV	2,644	3,842	1,251	1,252	6,486
	Total	9,454	7,789	5,211	3,802	10,873
Quthing	Mountains	4,941	1,517	1,365	1,121	2,320
	SRV	4,511	1,701	1,293	1,017	1,589
	Total	9,452	3,218	2,658	2,138	3,909
Qacha's Nek	Mountains	3,661	3,668	2,281	638	932
	SRV	3,386	2,833	459	1,082	1,050
	Total	7,047	6,501	2,740	1,720	1,982
Mokhotlong	Mountains	12,744	15,196	4,831	2,866	3,920
	Total	12,744	15,196	4,831	2,866	3,920
Thaba-Tseka	Mountains	12,091	5,630	2,622	2,881	11,254
	SRV	2,156	308	308	205	3,590
	Total	14,247	5,938	2,930	3,086	14,844
Lesotho		140,705	133,726	49,688	34,562	85,972

Table 4: Total Number of Household Members Managing Fields by Ownership and Sex, 2018/2019 Agricultural Year

District	Zone	Owned				Not Owned			
		Manage		Don't Manage		Manage		Don't Manage	
		Male	Female	Male	Female	Male	Female	Male	Female
Botha-Bothe	Lowlands	1,052	1,311	0	0	0	0	4,086	3,720
	FootHills	551	1,024	0	0	0	0	2,608	2,378
	Mountains	472	566	94	0	0	94	1,416	2,266
	Total	2,075	2,901	94	0	0	94	8,110	8,364
Leribe	Lowlands	7,514	4,482	281	362	90	281	23,522	25,415
	FootHills	2,314	703	0	89	89	0	6,674	5,484
	Mountains	2,194	1,282	105	196	1,473	1,003	6,024	5,933
	Total	12,022	6,466	386	647	1,652	1,284	36,220	36,832
Berea	Lowlands	7,095	3,888	403	627	3430	1,828	19,870	17,325
	FootHills	2,647	890	0	0	434	0	1,928	4,498
	Total	9,742	4,778	403	627	3,864	1,828	21,798	21,823
Maseru	Lowlands	6,463	4,529	355	272	140	0	23,492	21,748
	FootHills	2,880	3,502	366	371	800	448	12,513	14,283
	Mountains	1,063	399	0	133	0	0	4,519	3,854
	Total	10,406	8,430	721	775	940	448	40,523	39,886
Mafeteng	Lowlands	4,502	1,935	1,225	902	1,277	895	13,994	15,197
	FootHills	550	550	213	0	427	0	2,195	2,318
	Total	5,052	2,485	1,438	902	1,703	895	16,189	17,514
Mohale's Hoek	Lowlands	2,134	511	104	205	308	415	5,486	6,291
	FootHills	673	289	0	96	481	96	577	385
	Mountains	828	620	311	310	208	208	2,168	2,691
	SRV	2,280	1,860	310	519	738	943	6,050	6,279
	Total	5,915	3,279	725	1,129	1,735	1,662	14,281	15,645
Quthing	Mountains	1,408	1,327	196	104	1,076	717	4,664	4,932
	SRV	1,197	894	290	0	1,572	983	4,261	3,801
	Total	2,605	2,221	486	104	2,648	1,700	8,926	8,733
Qacha's Nek	Mountains	1,134	556	197	0	0	99	4,618	6,462
	SRV	1,494	672	121	0	0	0	3,967	3,913
	Total	2,628	1,228	318	0	0	99	8,584	10,375
Mokhotlong	Mountains	5,755	2,943	523	696	1,552	979	14,989	18,790
	Total	5,755	2,943	523	696	1,552	979	14,989	18,790
Thaba-Tseka	Mountains	4,684	4,462	513	504	3,754	1,946	11,211	13,592
	SRV	924	1,026	205	0	205	205	2,667	2,465
	Total	5,608	5,488	718	504	3,959	2,150	13,878	16,057
Lesotho		61,808	40,218	5,812	5,384	18,053	11,139	183,498	194,018

**Table 5: Percentage distribution of Household Members by Sex and Educational Attainment, 2018/2019
Agricultural year**

Education Attainment	Male	Female
Pre School	5383	4932
None	40141	21663
Std 1	15558	8477
std 2	19324	12721
std 3	20796	16404
std 4	20792	17457
std 5	22821	20421
std 6	22979	28905
std 7	40032	44852
Form 1	11702	13661
Form 2	11621	17887
Form 3	9475	15026
Form 4	2997	5109
Form 5	10719	12371
Dip/Cert after Primary	0	106
Vocational training after Primary	209	102
Dip/Cert after Secondary school	514	508
Vocational after Secondary school	308	301
Dip/Cert after high School	1327	2506
Vocational after high school	215	0
Graduate	812	1058
Post Graduate Diploma/Honours	0	325
Masters	0	0
PHD	0	0
Non-formal edu	1940	857
Other	89	0
Not Applicable	18920	15356

Table 6: Area Planted in Summer by District Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Maize	Wheat	Sorghum	Beans	Peas	Barley	Oats	Other Crops	Fallow
Botha Bothe	Lowlands	394	9	160	84	0	0	0	0	1,402
	Foothills	349	0	97	0	0	0	0	0	381
	Mountains	524	18	0	0	23	30	0	1	4
	Total	1,267	27	257	84	23	30	0	1	1,788
Leribe	Lowlands	5,110	57	8,641	664	0	52	0	0	9,861
	Foothills	1,405	0	487	175	0	29	0	20	2,295
	Mountains	3,146	242	165	38	70	116	0	28	151
	Total	9,661	299	9,292	878	70	196	0	48	12,306
Berea	Lowlands	4,966	0	707	338	70	0	0	9	9,134
	Foothills	2,017	0	692	0	0	0	0	0	1,179
	Total	6,984	0	1,399	338	70	0	0	9	10,312
Maseru	Lowlands	2,035	0	368	1,049	0	0	0	4	13,528
	Foothills	4,370	0	1,065	0	0	0	0	27	2,325
	Mountains	1,406	199	0	0	84	199	0	84	292
	Total	7,810	199	1,433	1,049	84	199	0	115	16,145
Mafeteng	Lowlands	3,268	0	215	959	0	34	0	0	15,397
	Foothills	375	0	335	0	0	0	0	0	1,947
	Total	3,642	0	550	959	0	34	0	0	17,344
Mohale's Hoek	Lowlands	1,403	0	266	144	0	0	0	0	4,429
	Foothills	216	0	0	0	0	0	0	0	544
	Mountains	124	0	103	0	0	0	0	0	247
	SRV	933	0	253	72	0	0	0	0	5,082
	Total	2,675	0	622	215	0	0	0	0	10,303
Quthing	Mountains	654	0	190	96	5	0	0	0	972
	SRV	383	27	169	32	0	0	0	0	841
	Total	1,037	27	359	127	5	0	0	0	1,813
Qacha's Nek	Mountains	723	200	60	179	18	9	0	0	602
	SRV	684	0	219	22	0	14	0	0	161
	Total	1,407	200	279	201	18	22	0	0	763
Mokhotlong	Mountains	4,742	940	224	648	155	62	0	113	1,665
	Total	4,742	940	224	648	155	62	0	113	1,665
Thaba Tseka	Mountains	3,947	1,553	206	164	72	407	0	109	2,678
	SRV	1,125	86	917	55	0	10	0	82	281
	Total	5,071	1,640	1,123	220	72	417	0	191	2,959
Lesotho		44,296	3,332	15,539	4,718	496	961	0	476	75,398

Table 7: Area Planted in Winter by District Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Wheat	Peas	Barley	Oats	Other Crops	Fallow
Botha Bothe	Lowlands	0	0	0	12	0	1,990
	Foothills	0	0	0	0	0	848
	Mountains	0	0	0	0	0	578
	Total	0	0	0	12	0	3,416
Leribe	Lowlands	34	97	11	0	0	15,997
	Foothills	0	0	0	0	0	4,365
	Mountains	0	0	0	0	0	3,945
	Total	34	97	11	0	0	24,306
Berea	Lowlands	225	184	73	0	0	16,090
	Foothills	84	1	0	0	0	5,928
	Total	310	185	73	0	0	22,018
Maseru	Lowlands	322	69	0	0	0	17,101
	Foothills	106	22	0	0	0	9,098
	Mountains	0	0	0	0	.	2,148
	Total	429	91	0	0	0	28,347
Mafeteng	Lowlands	121	291	199	0	0	19,036
	Foothills	0	0	0	0	0	2,550
	Total	121	291	199	0	0	21,585
Mohale's Hoek	Lowlands	259	0	55	0	0	6,050
	Foothills	0	0	0	0	0	976
	Mountains	0	0	0	0	0	1,601
	SRV	68	0	0	0	0	5,305
	Total	327	0	55	0	0	13,932
Quthing	Mountains	0	0	0	0	0	2136
	SRV	0	0	0	0	0	1,512
	Total	0	0	0	0	0	3,647
Qacha's Nek	Mountains	0	0	0	0	0	1,855
	SRV	0	0	0	0	0	1,187
	Total	0	0	0	0	0	3,043
Mokhotlong	Mountains	0	0	0	0	0	8,974
	Total	0	0	0	0	0	8,974
Thaba Tseka	Mountains	0	0	0	0	0	8,189
	SRV	0	0	0	0	0	3,624
	Total	0	0	0	0	0	11,813
Lesotho		1,222	664	337	12	0	141,082

Table 8: Area Harvested in Summer by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Maize	Sorghum	Wheat	Beans	Peas
Botha Bothe	Lowlands	329	86	0	16	0
	Foothills	316	97	0	0	0
	Mountains	442	0	0	0	1
	Total	1,087	182	0	16	1
Leribe	Lowlands	1,325	8,618	0	401	0
	Foothills	1,321	483	0	168	0
	Mountains	3,008	165	204	26	34
	Total	5,654	9,266	204	595	34
Berea	Lowlands	2,974	539	0	75	70
	Foothills	1,904	666	0	0	0
	Total	4,878	1,205	0	75	70
Maseru	Lowlands	1,452	180	0	51	0
	Foothills	3,329	1,026	0	0	0
	Mountains	663	0	124	0	0
	Total	5,444	1,206	124	51	0
Mafeteng	Lowlands	1,808	215	0	718	0
	Foothills	295	335	0	0	0
	Total	2,103	550	0	718	0
Mohale's Hoek	Lowlands	1,154	158	0	92	0
	Foothills	121	0	0	0	0
	Mountains	31	89	0	0	0
	SRV	511	231	0	13	0
	Total	1,816	478	0	105	0
Quthing	Mountains	403	190	0	81	5
	SRV	234	62	15	12	0
	Total	637	252	15	93	5
Qacha's Nek	Mountains	545	60	155	103	18
	SRV	572	147	0	12	0
	Total	1,117	207	155	114	18
Mokhotlong	Mountains	4,569	224	920	406	63
	Total	4,569	224	920	406	63
Thaba Tseka	Mountains	3,739	89	874	76	52
	SRV	982	758	0	30	0
	Total	4,721	848	874	106	52
Lesotho		32,026	14,419	2,292	2,279	243

Table 9: Area Harvested in Winter by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Wheat	Peas
Botha Bothe	Lowlands	0	0
	Foothills	0	0
	Mountains	0	0
	Total	0	0
Leribe	Lowlands	0	90
	Foothills	0	0
	Mountains	0	0
	Total	0	90
Berea	Lowlands	102	59
	Foothills	48	1
	Total	151	60
Maseru	Lowlands	257	33
	Foothills	91	22
	Mountains	0	0
	Total	348	55
Mafeteng	Lowlands	38	37
	Foothills	0	0
	Total	38	37
Mohale's Hoek	Lowlands	259	0
	Foothills	0	0
	Mountains	0	0
	SRV	0	0
	Total	259	0
	Mountains	0	0
Quthing	SRV	0	0
	Total	0	0
	Mountains	0	0
Qacha's Nek	SRV	0	0
	Total	0	0
	Mountains	0	0
Mokhotlong	Total	0	0
	Mountains	0	0
Thaba Tseka	SRV	0	0
	Total	0	0
	Mountains	0	0
Lesotho		797	242

Table 10: Summer Production by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Maize	Sorghum	Wheat	Beans	Peas
Botha Bothe	Lowlands	476	4	0	3	0
	Foothills	366	56	0	0	0
	Mountains	359	0	0	0	1
	Total	1,200	60	0	3	1
Leribe	Lowlands	1,240	4,113	0	175	0
	Foothills	2,410	358	0	65	0
	Mountains	1,271	102	122	0	2
	Total	4,921	4,573	122	240	2
Berea	Lowlands	2,462	346	0	1	48
	Foothills	3,669	1,446	0	0	0
	Total	6,131	1,792	0	1	48
Maseru	Lowlands	767	84	0	12	0
	Foothills	1,089	326	0	0	0
	Mountains	107	0	40	0	0
	Total	1,963	410	40	12	0
Mafeteng	Lowlands	1,024	203	0	179	0
	Foothills	100	197	0	0	0
	Total	1,124	401	0	179	0
Mohale's Hoek	Lowlands	377	128	0	53	0
	Foothills	38	0	0	0	0
	Mountains	11	34	0	0	0
	SRV	269	88	0	3	0
	Total	696	249	0	55	0
Quthing	Mountains	148	120	0	13	2
	SRV	160	12	5	2	0
	Total	308	132	5	15	2
Qacha's Nek	Mountains	164	36	51	34	6
	SRV	131	41	0	1	0
	Total	295	77	51	34	6
Mokhotlong	Mountains	5,285	309	1,060	321	54
	Total	5,285	309	1,060	321	54
Thaba Tseka	Mountains	2,383	46	153	21	29
	SRV	314	362	0	1	0
	Total	2,697	408	153	22	29
Lesotho		24,621	8,412	1,432	883	143

Table 11: Winter Production by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Wheat	Peas
Botha Bothe	Lowlands	0	0
	Foothills	0	0
	Mountains	0	0
	Total	0	0
Leribe	Lowlands	0	9
	Foothills	0	0
	Mountains	0	0
	Total	0	9
Berea	Lowlands	125	3
	Foothills	17	0
	Total	142	3
Maseru	Lowlands	116	2
	Foothills	15	0
	Mountains	0	0
	Total	131	3
Mafeteng	Lowlands	55	6
	Foothills	0	0
	Total	55	6
Mohale's Hoek	Lowlands	25	0
	Foothills	0	0
	Mountains	0	0
	SRV	0	0
	Total	25	0
	Mountains	0	0
Quthing	SRV	0	0
	Total	0	0
	Mountains	0	0
Qacha's Nek	SRV	0	0
	Total	0	0
	Mountains	0	0
Mokhotlong	Total	0	0
	Mountains	0	0
	SRV	0	0
Thaba Tseka	Total	0	0
Lesotho		353	21

Table 12: Summer Yield by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Maize	Sorghum	Wheat	Beans	Peas
Botha Bothe	Lowlands	1.45	0.05	0.00	0.21	0.00
	Foothills	1.16	0.58	0.00	0.00	0.00
	Mountains	0.81	0.00	0.00	0.00	0.87
	Total	1.10	0.33	0.00	0.21	0.87
Leribe	Lowlands	0.94	0.48	0.00	0.44	0.00
	Foothills	1.82	0.74	0.00	0.38	0.00
	Mountains	0.42	0.62	0.60	0.00	0.06
	Total	0.87	0.49	0.60	0.40	0.06
Berea	Lowlands	0.83	0.64	0.00	0.01	0.69
	Foothills	1.93	2.17	0.00	0.00	0.00
	Total	1.26	1.49	0.00	0.01	0.69
Maseru	Lowlands	0.53	0.47	0.00	0.24	0.00
	Foothills	0.33	0.32	0.00	0.00	0.00
	Mountains	0.16	0.00	0.33	0.00	0.00
	Total	0.36	0.34	0.33	0.24	0.00
Mafeteng	Lowlands	0.57	0.95	0.00	0.25	0.00
	Foothills	0.34	0.59	0.00	0.00	0.00
	Total	0.53	0.73	0.00	0.25	0.00
Mohale's Hoek	Lowlands	0.33	0.81	0.00	0.57	0.00
	Foothills	0.32	0.00	0.00	0.00	0.00
	Mountains	0.36	0.38	0.00	0.00	0.00
	SRV	0.53	0.38	0.00	0.20	0.00
	Total	0.38	0.52	0.00	0.53	0.00
Quthing	Mountains	0.37	0.63	0.00	0.16	0.34
	SRV	0.68	0.19	0.35	0.20	0.00
	Total	0.48	0.52	0.35	0.16	0.34
Qacha's Nek	Mountains	0.30	0.60	0.33	0.33	0.36
	SRV	0.23	0.28	0.00	0.06	0.00
	Total	0.26	0.37	0.33	0.30	0.36
Mokhotlong	Mountains	1.16	1.38	1.15	0.79	0.86
	Total	1.16	1.38	1.15	0.79	0.86
Thaba Tseka	Mountains	0.64	0.52	0.18	0.28	0.56
	SRV	0.32	0.48	0.00	0.04	0.00
	Total	0.57	0.48	0.18	0.21	0.56
Lesotho		0.77	0.58	0.62	0.39	0.59

Table 13: Winter Yield by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Wheat	Peas
Botha Bothe	Lowlands	0.00	0.00
	Foothills	0.00	0.00
	Mountains	0.00	0.00
	Total	0.00	0.00
Leribe	Lowlands	0.00	0.10
	Foothills	0.00	0.00
	Mountains	0.00	0.00
	Total	0.00	0.10
Berea	Lowlands	1.23	0.06
	Foothills	0.35	0.03
	Total	0.94	0.05
Maseru	Lowlands	0.45	0.08
	Foothills	0.17	0.02
	Mountains	0.00	0.00
	Total	0.38	0.05
Mafeteng	Lowlands	1.45	0.15
	Foothills	0.00	0.00
	Total	1.45	0.15
Mohale's Hoek	Lowlands	0.10	0.00
	Foothills	0.00	0.00
	Mountains	0.00	0.00
	SRV	0.00	0.00
	Total	0.10	0.00
Quthing	Mountains	0.00	0.00
	SRV	0.00	0.00
	Total	0.00	0.00
Qacha's Nek	Mountains	0.00	0.00
	SRV	0.00	0.00
	Total	0.00	0.00
Mokhotlong	Mountains	0.00	0.00
	Total	0.00	0.00
Thaba-Tseka	Mountains	0.00	0.00
	SRV	0.00	0.00
	Total	0.00	0.00
Lesotho		0.44	0.09

Table 14: Area Failed in Summer by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Maize	Sorghum	Wheat	Beans	Peas
Botha Bothe	Lowlands	65	75	0	68	0
	Foothills	33	0		0	0
	Mountains	82	0	27	0	22
	Total	180	75	27	68	22
Leribe	Lowlands	3,785	23	0	263	0
	Foothills	84	4	0	7	0
	Mountains	138	0	95	13	36
	Total	4,007	26	95	283	36
Berea	Lowlands	1,992	168	0	263	0
	Foothills	114	27	0	0	0
	Total	2,106	194	0	263	0
Maseru	Lowlands	582	188	0	998	0
	Foothills	1,041	39	0	0	0
	Mountains	743	0	75	0	84
	Total	2,366	227	75	998	84
Mafeteng	Lowlands	1,459	0	0	241	0
	Foothills	79	0	0	0	0
	Total	1,539	0	0	241	0
Mohale's Hoek	Lowlands	249	108	0	52	0
	Foothills	96	0	0	0	0
	Mountains	93	14	0	0	0
	SRV	421	22	0	59	0
	Total	859	144	0	111	0
	Mountains	251	0	0	14	0
Quthing	SRV	149	107	12	20	0
	Total	400	107	12	34	0
Qacha's Nek	Mountains	177	0	45	76	0
	SRV	113	72	0	10	0
	Total	290	72	45	86	0
Mokhotlong	Mountains	172	0	20	242	92
	Total	172	0	20	242	92
Thaba Tseka	Mountains	207	117	766	89	20
	SRV	143	158	0	25	0
	Total	350	275	766	114	20
Lesotho		12,270	1,120	1,040	2,440	253

Table 15: Area Failed in Winter by District, Zone and Crop Type for 2018/2019 Agricultural Year

District	Zone	Wheat	Peas
Botha Bothe	Lowlands	0	0
	Foothills	0	0
	Mountains	0	0
	Total	0	0
Leribe	Lowlands	34	7
	Foothills	0	0
	Mountains	0	0
	Total	34	7
Berea	Lowlands	123	125
	Foothills	36	0
	Total	159	125
Maseru	Lowlands	65	36
	Foothills	16	0
	Mountains	0	0
	Total	81	36
Mafeteng	Lowlands	84	254
	Foothills	0	0
	Total	84	254
Mohale's Hoek	Lowlands	0	0
	Foothills	0	0
	Mountains	0	0
	SRV	68	0
	Total	68	0
	Mountains	0	0
Quthing	SRV	0	0
	Total	0	0
	Mountains	0	0
Qacha's Nek	SRV	0	0
	Total	0	0
	Mountains	0	0
Mokhotlong	Total	0	0
	Mountains	0	0
Thaba Tseka	SRV	0	0
	Total	0	0
	Mountains	0	0
Lesotho		425	422

Table16: Area Ploughed in summer by District, Zone and Method of Ploughing, 2018/2019 Agricultural Year

District	Zone	Own tractor	Hired tractor	Own oxen	Hired Oxen	Hired Labour	Combination	Other
Botha Buthe	Lowlands	43	149	367	0	0	0	10
	Foothills	0	52	182	16	0	0	201
	Mountains	0	0	311	70	0	0	129
	Total	43	201	860	86	0	0	340
Leribe	Lowlands	170	2,429	3,049	327	0	124	96
	Foothills	494	537	1,445	211	0	0	0
	Mountains	0	0	3,076	306	0	0	131
	Total	664	2,966	7,570	844	0	124	227
Berea	Lowlands	666	2934	2,528	176	0	39	48
	Foothills	6	335	2,788	0	5	0	243
	Total	672	3,269	5,316	176	5	39	291
Maseru	Lowlands	1,910	1,473	1,983	26	0	0	22
	Foothills	308	200	4,451	382	0	0	8
	Mountains	0	191	1,260	848	0	0	85
	Total	2,218	1,864	7,694	1,256	0	0	115
Mafeteng	Lowlands	933	2,561	1,148	145	0	0	21
	Foothills	0	0	920	0	0	0	0
	Total	933	2,561	2,068	145	0	0	21
Mohalae'shoek	Lowlands	302	490	1,360	420	0	0	0
	Foothills	0	0	248	0	0	0	0
	Mountains	0	0	569	147	0	116	19
	SRV	0	239	1,051	67	0	0	0
	Total	302	729	3,228	634	0	116	19
Quthing	Mountains	0	0	664	54	0	0	54
	SRV	0	32	651	0	0	0	0
	Total	0	32	1,315	54	0	0	54
Qacha'snek	Mountains	0	136	855	259	0	0	0
	SRV	0	0	769	259	0	0	203
	Total	0	136	1,624	518	0	0	203
Mokhotlong	Mountains	0	208	6,737	117	0	124	959
	Total	0	208	6,737	117	0	124	959
Thaba Tseka	Mountains	103	0	7,642	44	19	0	50
	SRV	0	0	2,361	426	0	0	0
	Total	103	0	10,003	470	19	0	50
Total		4,935	11,966	46,415	4,300	24	403	2,279

Table17: Actual Amount Spent on Ploughing in Summer by District, Zone and Method of Ploughing, 2018/2019 Agricultural Year

District	Zone	Own tractor	Hired tractor	Own oxen	Hired Oxen	Hired Labour	Combination
Botha Buthe	Lowlands	37,228	106,433	0	23,489	0	0
	Foothills	0	86,928	0	29,702	0	0
	Mountains	0	0	0	83,056	0	0
	Total	37,228	193,361	0	136,247	0	0
Leribe	Lowlands	0	2,034,211	190,116	237,974	0	61,469
	Foothills	89,258	326,262	0	98,183	0	0
	Mountains	0	0	0	230,704	0	0
	Total	89,258	2,360,473	190,116	566,861	0	61,469
Berea	Lowlands	120,129	1,703,782	343,194	108,136	0	45,048
	Foothills	0	205,579	59,677	0	0	0
	Total	120,129	1,909,361	402,871	108,136	0	45,048
Maseru	Lowlands	423,355	925,733	9,186	42,424	0	0
	Foothills	134,510	156,928	0	314,123	0	0
	Mountains	0	132,868	0	0	0	0
	Total	557,865	1,215,529	9,186	356,547	0	0
Mafeteng	Lowlands	0	1,832,543	0	195,297	0	0
	Foothills	0	0	0	0	0	0
	Total	0	1,832,543	0	195,297	0	0
Mohalae'shoek	Lowlands	0	101,118	0	60,592	0	0
	Foothills	0	0	11,544	0	0	0
	Mountains	0	0	0	31,159	0	0
	SRV	0	139,461	0	0	0	0
	Total	0	240,579	11,544	91,751	0	0
	Mountains	0	0	231,703	10,348	0	0
Quthing	SRV	0	31,833	0	0	0	0
	Total	0	31,833	231,703	10,348	0	0
Qacha'snek	Mountains	0	163,583	0	170,398	0	0
	SRV	0	0	0	203,597	0	0
	Total	0	163,583	0	373,995	0	0
Mokhotlong	Mountains	0	113,688	294,357	83,880	0	44,950
	Total	0	113,688	294,357	83,880	0	44,950
Thaba Tseka	Mountains	0	0	0	82,532	3,869	0
	SRV	0	0	0	41,121	0	0
	Total	0	0	0	123,653	3,869	0
Total		804,480	8,060,950	1,139,778	2,046,715	3,869	151,467

Table 18: Total Actual Amount Spent on Summer Planting by District, Zone and Method of Planting, 2018/2019 Agricultural Year

District	Zone	Own tractor	Hired tractor	Own oxen	Hired oxen	Manual	Conservation (likotjana)	Conservation (Malinala)	Combination	Other
Botha Buthe	Lowlands	0	500	250	300	370	0	0	0	0
	Foothills	0	0	0	700	0	0	0	0	0
	Mountains	0	250	0	0	0	0	0	0	0
	Total	0	750	250	1,000	370	0	0	0	0
Leribe	Lowlands	200	2,860	1530	1,570	0	0	0	0	0
	Foothills	0	0	0	450	0	0	0	0	0
	Mountains	0	0	0	500	0	0	0	0	0
	Total	200	2,860	1530	2,520	0	0	0	0	0
Berea	Lowlands	1,400	190	1670	1,230	30	0	0	0	650
	Foothills	0	0	0	250	120	0	0	0	0
	Total	1,400	190	1670	1,480	150	0	0	0	650
Maseru	Lowlands	0	300	0	1,010	0	0	0	0	0
	Foothills	0	0	0	1,630	0	0	0	0	0
	Mountains	0	0	0	250	0	0	0	0	0
	Total	0	300	0	2,890	0	0	0	0	0
Mafeteng	Lowlands	0	1,400	0	300	730	0	0	150	0
	Foothills	0	0	0	0	0	0	0	0	0
	Total	0	1,400	0	300	730	0	0	150	0
Mohalae'shoek	Lowlands	0	0	0	600	0	0	0	0	0
	Foothills	0	0	120	0	0	0	0	0	0
	Mountains	0	0	0	300	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	120	900	0	0	0	0	0
Quthing	Mountains	0	0	0	0	50	0	0	0	0
	Senqu River Valley	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	50	0	0	0	0
Qacha'snek	Mountains	0	0	0	0	700	0	0	0	0
	SRV	0	0	0	1,150	200	0	0	0	0
	Total	0	0	0	1,150	900	0	0	0	0
Mokhotlong	Mountains	0	0	150	0	400	0	0	0	0
	Total	0	0	150	0	400	0	0	0	0
Thaba-Tseka	Mountains	0	0	0	0	100	0	0	0	0
	SRV	0	0	0	3,000	0	0	0	0	0
	Total	0	0	0	3,000	100	0	0	0	0
Total		1,600	5,500	3,720	13,240	2,700	0	0	150	650

Table 19: Total Area Disked in summer by District, Zone and Method of Disking, 2018/2019 Agricultural Year

District	Zone	Own tractor	Hired tractor	Own oxen	Hired oxen	Hired Labour	Combination	Other
Botha Buthe	Lowlands	0	0	58	0	0	0	0
	Foothills	0	0	0	0	0	0	25
	Mountains	0	0	0	0	0	0	0
	Total	0	0	58	0	0	0	25
Leribe	Lowlands	160	222	500	3	66	0	0
	Foothills	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0
	Total	160	222	500	3	66	0	0
Berea	Lowlands	418	482	605	0	0	0	0
	Foothills	0	0	114	0	0	0	0
	Total	418	482	719	0	0	0	0
Maseru	Lowlands	0	0	0	0	0	0	0
	Foothills	0	0	61	0	0	0	0
	Mountains	0	0	0	0	0	0	0
	Total	0	0	61	0	0	0	0
Mafeteng	Lowlands	224	0	56	0	0	0	0
	Foothills	0	0	0	0	89	0	0
	Total	224	0	56	0	89	0	0
Mohalae'shoek	Lowlands	0	0	0	62	0	0	0
	Foothills	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0
	Total	0	0	0	62	0	0	0
Quthing	Mountains	0	0	293	0	0	0	50
	SRV	0	0	55	0	0	0	0
	Total	0	0	348	0	0	0	50
Qacha'snek	Mountains	0	0	63	0	0	0	0
	SRV	0	0	0	0	0	0	0
	Total	0	0	63	0	0	0	0
Mokhotlong	Mountains	0	0	1476	113	0	0	0
	Total	0	0	1476	113	0	0	0
Thaba Tseka	Mountains	0	0	184	0	0	0	0
	SRV	0	0	205	0	0	0	504
	Total	0	0	389	0	0	0	504
Total		2,406	2,112	11,010	534	465	0	1,737

Table 20: Total Actual Amount Spent on Disking in Summer by District, Zone and Method of Disking, 2018/2019 Agricultural Year

District	Zone	Own Tractor	Hired Tractor	Own Oxen	Hired Oxen	Hired Labour
Botha Buthe	Lowlands	0	0	0	0	0
	Foothills	0	0	0	0	0
	Mountains	0	0	0	0	0
	Total	0	0	0	0	0
Leribe	Lowlands	0	117,345	0	5,185	36,596
	Foothills	0	0	0	0	0
	Mountains	0	0	0	0	0
	Total	0	117,345	0	5,185	36,596
Berea	Lowlands	32,535	101,640	31,284	0	0
	Foothills	0	0	0	0	0
	Total	32,535	101,640	31,284	0	0
Maseru	Lowlands	0	0	0	0	0
	Foothills	0	0	0	0	0
	Mountains	0	0	0	0	0
	Total	0	0	0	0	0
Mafeteng	Lowlands	0	0	0	0	0
	Foothills	0	0	0	0	0
	Total	0	0	0	0	0
Mohalae'shoek	Lowlands	0	0	0	0	0
	Foothills	0	0	0	0	0
	Mountains	0	0	0	0	0
	SRV	0	0	0	0	0
	Total	0	0	0	0	0
Quthing	Mountains	0	0	0	0	0
	SRV	0	0	0	0	0
	Total	0	0	0	0	0
Qacha'snek	Mountains	0	0	0	0	0
	SRV	0	0	0	0	0
	Total	0	0	0	0	0
Mokhotlong	Mountains	0	0	0	22,738	0
	Total	0	0	0	22,738	0
Thaba Tseka	Mountains	0	0	0	0	0
	SRV	0	0	0	0	0
	Total	0	0	0	0	0
Total		97,605	656,955	93,852	83,769	109,788

Table 21: Total Area Weeded in summer by District, Zone and Method of Weeding, 2018/2019 Agricultural Year

District	Ecological Zone	Method of Weeding						Combination
		Own Tractor	Hired Tractor	Own Oxen	Hired Oxen	Own Labour	Hired Labour	
Botha-Bothe	Lowlands	0	0	0	0	211	64	267
	Foothills	0	0	0	0	133	0	65
	Mountain	0	0	22	0	268	0	116
	Total	0	0	22	0	613	64	448
Leribe	Lowlands	43	0	429	73	1,686	833	229
	Foothills	0	0	339	0	653	144	931
	Mountain	0	0	22	0	75		3,099
	Total	43	0	790	73	2,413	977	4,259
Berea	Lowlands	83	0	399		2,195	398	2,779
	Foothills	0	0	0	0	622		2,393
	Total	83	0	399	0	2,816	398	5,172
Maseru	Lowlands	0	0	167		438	227	1,130
	Foothills	0	0	158	169	1,406	780	465
	Mountain	0	0	0	0	0	0	0
	Total	0	0	325	169	1,844	1,007	1,595
Mafeteng	Lowlands	0	0	1,744		202	6	296
	Foothills	0	0	0	0	180	0	290
	Total	0	0	1,744	0	381	6	586
	Lowlands	0	0	0	0	252	62	677
Mohale's Hoek	Foothills	39	0	80	0	12	0	0
	Mountain	0	0	156	81	283	0	0
	SRV	0	0	38	0	271	0	228
	Total	39	0	274	81	818	62	905
Quthing	Mountain	0	0	531	54	84		167
	SRV	0	0	0	0	60	32	93
	Total	0	0	531	54	144	32	259
	Mountain	0	0	456	0	0	0	202
Qacha's Nek	SRV	0	0	378	37	197	42	222
	Total	0	0	834	37	197	42	424
	Mountain	0	0	297		3,782	8	1,140
Mokhotlong	Total	0	0	297	0	3,782	8	1,140
	Mountain	41	116	265		1,248		3,351
Thab-Tseka	SRV	0	0	0	0	1,751	102	603
	Total	41	116	265	0	2,999	102	3,954
Lesotho		207	116	5,480	413	16,008	2,697	18,743

Table 22: Total Actual Amount Spent on Weeding by District, Zone and Method of Weeding, 2018/2019 Agricultural Year

District	Ecological Zone	Method of Weeding						Combination	Other
		Own Tractor	Hired Tractor	Own Oxen	Hired Oxen	Own Labour	Hired Labour		
Botha-Bothe	Lowlands	0	0	0	0	0	33,881	264,232	0
	Foothills	0	0	0	0	0	0	0	87,126
	Mountain	0	0	0	0	0	0	14,157	0
	Total	0	0	0	0	0	33,881	278,389	87,126
Leribe	Lowlands	0	0	58,327	17,449	54,954	560,107	435,054	0
	Foothills	0	0	0	0	0	94,473	313,626	0
	Mountain	0	0	0	0	0	0	0	0
	Total	0	0	58,327	17,449	54,954	654,580	748,679	0
Berea	Lowlands	0	0	0	0	74,595	164,177	1,487,895	20,814
	Foothills	0	0	0	0	0	0	262,798	0
	Total	0	0	0	0	74,595	164,177	1,750,693	20,814
Maseru	Lowlands	0	0	0	0	0	137,801	280,890	0
	Foothills	0	0	0	71,182	0	233,589	38,703	0
	Mountain	0	0	0	0	0	0	0	0
	Total	0	0	0	71,182	0	371,390	319,593	0
Mafeteng	Lowlands	0	0	0	0	0	4,312	12,916	0
	Foothills	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	4,312	12,916	0
Mohale's Hoek	Lowlands	0	0	0	0	0	0	55,542	0
	Foothills	0	0	0	0	0	0	0	0
	Mountain	0	0	0	41,546	0	0	0	0
	SRV	0	0	0	0	0	0	0	0
	Total	0	0	0	41,546	0	0	55,542	0
	Mountain	0	0	0	10,348	0	0	0	0
Quthing	SRV	0	0	0	0	0	25,467	0	0
	Total	0	0	0	10,348	0	25,467	0	0
	Mountain	0	0	0	0	0	0	0	0
Qacha's Nek	SRV	0	0	0	48,645	0	0	0	0
	Total	0	0	0	48,645	0	0	0	0
	Mountain	0	0	144,729	0	0	28,447	351,381	0
Mokhotlong	Total	0	0	144,729	0	0	28,447	351,381	0
	Mountain	0	29,020	0	0	82,521	0	51,576	0
Thaba-Tseka	SRV	0	0	0	0	0	40,942	0	0
	Total	0	29,020	0	0	82,521	40,942	51,576	0
Lesotho		0	29,020	203,055	189,169	212,070	1,323,195	3,568,769	107,940

Table 23: Total Actual Amount Spent on Harvesting by District, Zone and Crop, 2018/2019 Agricultural Year

District	Ecological Zone	Crop				
		Maize	Wheat	Sorghum	Beans	Peas
Botha-Bothe	Lowlands	108,319	0	0	17,728	0
	Foothills	13,764	0	26,763	0	0
	Mountain	184,044	58,517	58,517	0	0
	Total	306,127	58,517	85,280	17,728	0
Leribe	Lowlands	384,896	0	57,729	96,677	0
	Foothills	32,293	0	40,367	5,767	0
	Lowlands	146,714	136,105	138,569	0	26,216
	Total	563,904	136,105	236,665	102,443	26,216
Berea	Lowlands	141,106	0	115,715	0	0
	Foothills	392,147	0	0	0	0
	Mountain	0	0	0	0	0
	Total	533,253	0	115,715	0	0
Maseru	Lowlands	116,433	0	7,657	0	0
	Foothills	53,131	0	145,386	0	0
	Total	169,564	0	153,043	0	0
Mafeteng	Lowlands	158,845	0	0	12,916	0
	Foothills	0	0	22,446	0	0
	Mountain	0	0	0	0	0
	Total	158,845	0	22,446	12,916	0
Mohale's Hoek	Lowlands	0	0	0	0	0
	Foothills	15,393	0	0	0	0
	Mountain	10,301	0	0	0	0
	SRV	0	0	20,781	0	0
	Total	25,694	0	20,781	0	0
Quthing	Mountain	0	0	78,921	0	0
	SRV	0	58,505	78,804	0	0
	Total	0	58,505	157,725	0	0
Qacha's Nek	Mountain	0	15,789	0	0	0
	Total	0	15,789	0	0	0
Mokhotlong	Mountain	511,417	312,447	0	51,159	0
	Total	511,417	312,447	0	51,159	0
Thaba-Tseka	Mountain	65,744	13,288	4,137	27,137	0
	SRV	51,401	0	102,801	0	0
	Total	117,145	13,288	106,938	27,137	0
Lesotho		2,385,949	578,862	898,592	211,384	26,216

Table 24: Area applied Inorganic Fertilizer in summer by District, Zone and Type for 2018/2019 Agricultural Year

District	Ecological Zone	Double super	Single supers	3:2:1 (35)	3:2:1 (25)	LAN	2:3:2 (22)	Urea	3:2:1 (32)	6:2:1 (31)	Other
Botha-Bothe	Lowlands	0	176	58	0	0	145	0	0	10	0
	Foothills	0	0	0	0	0	112	0	47	14	0
	Mountains	0	0	0	0	0	0	0	0	0	0
	Total	0	176	58	0	0	257	0	47	24	0
Leribe	Lowlands	0	0	408	277	0	148	118	1102	1654	48
	Foothills	55	0	0	0	0	63	0	110	2213	345
	Mountains	0	0	0	0	0	0	0	0	0	162
	SRV	0	0	0	0	0	0	0	0	0	0
	Total	55	0	408	277	0	211	118	1212	3867	555
Berea	Lowlands	0	0	0	955	0	76	0	204	3231	26
	Foothills	0	0	89	162	0	73	0	529	2107	459
	Mountains	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0
	Total	0	0	89	1117	0	148	0	734	5338	485
Maseru	Lowlands	0	0	86	1420	0	0	0	768	338	215
	Foothills	0	177	0	35	0	0	0	0	1832	821
	Total	0	177	86	1455	0	0	0	768	2170	1036
Mafeteng	Lowlands	0	0	238	374	0	1117	0	301	320	175
	Foothills	0	0	0	343	0	0	0	0	0	0
	Total	0	0	238	718	0	1117	0	301	320	175
Mohale'shoek	Lowlands	0	0	0	0	0	0	0	0	847	518
	Foothills	0	0	0	0	0	0	0	0	0	39
	Mountains	110	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	67	147
	Total	110	0	0	0	0	0	0	0	914	704
Quthing	Lowlands	0	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	37	0	0	0	0	49
	Total	0	0	0	0	37	0	0	0	0	49
Qacha's Nek	Mountains	0	0	0	0	0	0	0	0	0	44
	SRV	0	0	0	0	0	0	0	0	0	74
	Total	0	0	0	0	0	0	0	0	0	118
Mokhotlong	Lowlands	0	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0
Thaba Tseka	Mountains	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0
Total	Total	0	0	0	0	0	0	0	0	0	0
Total		166	353	880	3567	37	1733	118	3062	12633	3123

Table 25: Quantity of Inorganic (in kg) Fertilizer used in summer by District, Zone and Type for 2018/2019

District	Ecological Zone	Double Super	Single Supers	3:2:1 (35)	3:2:1 (25)	LAN	2:3:2 (22)	Urea	3:2:1 (32)	6:2:1 (31)
Botha-Bothe	Lowlands	0	15	9	0	0	34	0	0	0
	Foothills	0	0	0	0	0	10	0	5	6
	Mountains	0	0	0	0	0	0	0	0	0
	Total	0	15	9	0	0	44	0	5	6
Leribe	Lowlands	0	0	39	19	0	25	13	132	200
	Foothills	6	0	0	0	0	8	0	8	397
	Mountains	0	0	0	0	0	0	0	0	0
	Total	6	0	39	19	0	33	13	140	597
Berea	Lowlands	0	0	0	112	0	7	0	24	341
	Foothills	0	0	11	34	0	16	0	131	247
	Total	0	0	11	145	0	23	0	155	588
Maseru	Lowlands	0	0	12	164	0	0	0	91	35
	Foothills	0	34	0	0	0	0	0	0	168
	Total	0	34	12	165	0	0	0	91	203
Mafeteng	Lowlands	0	0	27	19	0	87	0	26	15
	Foothills	0	0	0	11	0	0	0	0	0
	Total	0	0	27	30	0	87	0	26	15
Mohale's Hoek	Lowlands	0	0	0	0	0	0	0	0	77
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	4	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	3
	Total	4	0	0	0	0	0	0	0	80
Quthing	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	5	0	0	0	0
	Total	0	0	0	0	5	0	0	0	0
Qacha's Nek	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Mokhotlong	Lowlands	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Thaba-Tseka	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Total		9	50	97	360	5	187	13	416	1490

Table 26: Amount spent (in Maloti) on Inorganic Fertilizer in summer by District, Zone and Type for 2018/2019 Agricultural Year

District	Ecological Zone	Double Super	Single Supers	3:2:1 (35)	3:2:1 (25)	LAN	2:3:2 (22)	Urea	3:2:1 (32)	6:2:1 (31)
Botha-Bothe	Lowlands	0	44,529	28,709	0	0	92,931	0	0	0
	Foothills	0	0	0	0	0	53,305	0	33,124	33,124
	Mountains	0	0	0	0	0	0	0	0	0
	Total	0	44,529	28,709	0	0	146,236	0	33,124	33,124
Leribe	Lowlands	0	0	150,451	109,913	0	27,680	0	333,849	575,141
	Foothills	19,145	0	0	0	0	74,262	0	35,808	1,105,702
	Mountains	0	0	0	0	0	0	0	0	0
	Total	19,145	0	150,451	109,913	0	101,942	0	369,658	1,680,843
Berea	Lowlands	0	0	0	379,844	0	46,419	0	69,528	1,030,756
	Foothills	0	0	37,383	112,148	0	17,786	0	185,681	762,721
	Total	0	0	37,383	491,991	0	64,205	0	255,208	1,793,476
Maseru	Lowlands	0	0	49,391	566,287	0	0	0	290,997	128,858
	Foothills	0	0	0	35,869	0	0	0	0	582,987
	Mountains	0	0	0	0	0	0	0	0	0
	Total	0	0	49,391	602,156	0	0	0	290,997	711,845
Mafeteng	Lowlands	0	0	69,611	43,568	0	302,240	0	69,544	147,089
	Foothills	0	0	0	44,892	0	0	0	0	0
	Total	0	0	69,611	88,460	0	302,240	0	69,544	147,089
Mohale's Hoek	Lowlands	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	10,301	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	7,756
	Total	10,301	0	0	0	0	0	0	0	7,756
	Mountains	0	0	0	0	0	0	0	0	0
Quthing	SRV	0	0	0	0	17,731	0	0	0	0
	Total	0	0	0	0	17,731	0	0	0	0
Qacha's Nek	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Mokhotlong	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Thaba-Tseka	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
Total		29,447	44,529	335,545	1,292,520	17,731	614,623	0	1,018,531	4,374,133

Table 27: Area Applied Organic Fertilizer by District, Zone and Type, 2018/2019 Agricultural Year

District	Ecological Zone	Ash	Cattle Manure	Horse Manure	Pig Manure	Sheep Manure	Poultry	Guano	Composts	Seware waste
Botha Bothe	Lowlands	0	526	0	0	0	0	0	0	0
	Foothills	0	390	0	0	0	0	0	0	0
	Mountains	0	131	0	0	0	0	0	0	0
	Total	0	1,047	0	0	0	0	0	0	0
Leribe	Lowlands	11	2,951	0	84	330	0	0	0	0
	Foothills	110	1,497	3	0	641	0	0	0	0
	Mountains	0	0	0	0	88	0	0	0	0
	Total	122	4,448	3	84	1,059	0	0	0	0
Berea	Lowlands	0	5,876	0	0	122	0	0	0	0
	Foothills	73	2,548	154	0	69	0	0	0	0
	Total	73	8,424	154	0	190	0	0	0	0
Maseru	Lowlands	0	1,738	0	0	0	0	0	0	0
	Foothills	0	15,779	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	Total	0	17,517	0	0	0	0	0	0	0
Mafeteng	Lowlands	0	1,210	0	0	0	0	0	0	0
	Foothills	0	79	0	0	0	0	0	0	0
	Total	0	1,289	0	0	0	0	0	0	0
Mohale'shoek	Lowlands	0	767	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	189	0	0	0	0	0	0	0
	Total	0	956	0	0	0	0	0	0	0
Quthing	Lowlands	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
Qacha'sNek	Total	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
Mokhotlong	Total	0	0	0	0	53	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
Thaba-Tseka	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Total		195	33,682	157	84	1,303	0	0	0	0

Table 28: Quantity of Organic Fertilizer in kilogram used by District, Zone and Type, 2018/2019 Agricultural Year

District	Ecological Zone	Ash	Cattle Manure	Horse Manure	Pig Manure	Sheep Manure	Poultry	Guano	Composts	Seware waste
Botha Buthe	Lowlands	0	158	0	0	0	0	0	0	0
	Foothills	0	134	0	0	0	0	0	0	0
	Mountains	0	59	0	0	0	0	0	0	0
	Total	0	351	0	0	0	0	0	0	0
Leribe	Lowlands	2	831	0	5	55	0	0	0	0
	Foothills	61	527	49	0	266	0	0	0	0
	Mountains	0	0	0	0	17	0	0	0	0
	Total	63	1,358	49	5	338	0	0	0	0
Berea	Lowlands	0	1,593	0	0	53	0	0	0	0
	Foothills	11	550	28	0	45	0	0	0	0
	Total	11	2,142	28	0	98	0	0	0	0
Maseru	Lowlands	0	348	0	0	0	0	0	0	0
	Foothills	0	916	0	0	0	0	0	0	0
	Total	0	1,264	0	0	0	0	0	0	0
Mafeteng	Lowlands	0	147	0	0	0	0	0	0	0
	Foothills	0	16	0	0	0	0	0	0	0
	Total	0	163	0	0	0	0	0	0	0
Mohale'shoek	Lowlands	0	106	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0
	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	26	0	0	0	0	0	0	0
	Total	0	133	0	0	0	0	0	0	0
Quthing	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Qacha'snek	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Mokhotlong	Mountains	0	0	0	0	109	0	0	0	0
	Total	0	0	0	0	109	0	0	0	0
Thaba Tseka	Mountains	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0
Total		74	5,410	77	5	546	0	0	0	0

Table 29: Quantity of Seeds used in kilograms by District, Zone and Type, 2018/2019 Agricultural Year

District	Ecological Zone	Own crop	Bought locally (non hybrid)	Imported non hybrid	Hybrid	Combination
Botha-Bothe	Lowlands	10	4	0	3	0
	Foothills	32	1	0	2	0
	Mountains	40	2	0	0	0
	Total	83	7	0	5	0
Leribe	Lowlands	89	56	1	39	0
	Foothills	80	15	0	33	0
	Mountains	161	18	3	1	0
	Total	330	90	4	74	0
Berea	Lowlands	186	104	2	19	1
	Foothills	155	15	2	6	0
	Total	341	119	4	25	1
Maseru	Lowlands	44	12	1	10	0
	Foothills	91	16	5	28	2
	Mountains	47	8	0	3	0
	Total	182	36	6	41	2
Mafeteng	Lowlands	36	26	3	19	0
	Foothills	18	9	0	1	0
	Total	54	35	3	20	0
Mohale's Hoek	Lowlands	15	6	0	10	0
	Foothills	51	0	0	0	0
	Mountains	28	0	0	0	0
	SRV	16	0	0	4	0
	Total	110	6	0	14	0
	Mountains	23	1	0	0	0
Quthing	SRV	28	3	0	0	0
	Total	51	4	0	0	0
Qacha's Nek	Mountains	41	2	0	1	0
	SRV	33	10	0	0	0
	Total	74	12	0	1	0
Mokhotlong	Mountains	353	80	0	4	0
	Total	353	80	0	4	0
Thaba-Tseka	Mountains	301	73	0	2	0
	SRV	158	7	0	0	0
	Total	459	80	0	2	0
Total		2,036	470	17	185	4

Table 30: Total Actual Amount Spent on Seeds by District, Zone and Type, 2018/2019 Agricultural year

District	Ecological Zone	Own crop	Bought locally (non hybrid)	Imported non hybrid	Hybrid	Combination
Botha-Bothe	Lowlands	0	32,248	0	49,417	0
	Foothills	22,940	9,634	29,931	65,383	0
	Mountains	0	5,852	0	0	0
	Total	22,940	47,734	29,931	114,800	0
Leribe	Lowlands	43,580	320,952	55,180	697,581	0
	Foothills	49,017	263,883	0	1,142,052	0
	Mountains	0	95,460	31,460	52,433	0
	Total	92,597	680,294	86,640	1,892,065	0
Berea	Lowlands	6,882	535,967	36,030	356,845	3,227
	Foothills	14,638	95,145	39,409	176,689	0
	Total	21,520	631,112	75,440	533,535	3,227
Maseru	Lowlands	0	223,895	30,698	366,794	3,113
	Foothills	0	230,306	0	623,818	33,627
	Mountains	0	62,448	0	79,721	0
	Total	0	516,649	30,698	1,070,333	36,741
Mafeteng	Lowlands	39,369	402,114	23,514	358,627	0
	Foothills	0	117,967	0	40,543	0
	Total	39,369	520,081	23,514	399,170	0
Mohale's Hoek	Lowlands	0	134,602	0	104,622	0
	Foothills	0	0	0	0	0
	Mountains	106,619	2,060	0	0	0
	SRV	0	0	0	71,723	0
	Total	106,619	136,663	0	176,345	0
Quthing	Mountains	2,317	15,521	0	20,679	0
	SRV	0	21,914	0	0	0
	Total	2,317	37,436	0	20,679	0
Qacha's Nek	Mountains	0	21,300	0	21,300	0
	SRV	26,419	91,311	0	0	0
	Total	26,419	112,611	0	21,300	0
Mokhotlong	Foothills	0	0	0	0	0
	Mountains	0	628,882	0	78,444	0
	Total	0	628,882	0	78,444	0
Thabatseka	Mountains	15,481	403,183	0	31,500	0
	SRV	0	27,189	0	0	0
	Total	15,481	430,372	0	31,500	0
Total		327,262	3,741,834	246223	4,338,169	39,968

Table 31: Area applied pesticides by District, Zone and Type for 2018/2019 Agricultural year

District	Ecological Zone	Type of Pesticide										Don't Know
		Malathion	Metasystox	Ripcart	Karate	Lanacol	Aphicides	Dithane	Cutworm Bait	Factac	Other	
Botha-Bothe	Lowlands	0	0	0	0	0	0	0	0	0	0	0
	Foothills	12	0	0	0	0	0	0	0	0	0	41
	Mountain	0	0	0	0	0	0	0	0	0	0	0
	Total	12	0	0	0	0	0	0	0	0	0	41
Leribe	Lowlands	26	0	0	123	0	0	0	0	0	0	5
	Foothills	217	0	0	0	103	0	0	0	0	0	118
	Mountain	0	0	0	0	0	0	0	0	0	0	0
	Total	243	0	0	123	103	0	0	0	0	0	122
Berea	Lowlands	0	0	261	6	0	0	0	0	316	219	0
	Foothills	140	118	0	0	0	0	278	0	1,198	25	0
	Total	140	118	261	6	0	0	278	0	1,514	244	0
Maseru	Lowlands	0	0	0	0	0	0	0	0	0	173	583
	Foothills	0	0	0	0	0	476	0	169	1,377	48	0
	Mountain	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	476	0	169	1,377	221	583
Mafeteng	Lowlands	0	0	0	0	0	0	0	0	0	118	0
	Foothills	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	118	0
Mohale's Hoek	Lowlands	0	0	0	0	0	0	0	0	0	0	0
	Foothills	0	0	0	0	0	0	0	0	0	0	0
	Mountain	0	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0
Quthing	Mountain	0	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0
Qacha's Nek	Mountain	0	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0
Mokhotlong	Mountain	0	0	0	0	0	0	0	0	0	75	53
	Total	0	0	0	0	0	0	0	0	0	75	53
Thaba-Tseka	Mountain	0	0	0	0	0	0	0	0	0	0	0
	SRV	0	0	0	0	0	0	0	0	0	0	0
	Total	0	0	0	0	0	0	0	0	0	0	0
Lesotho		395	118	261	129	103	476	278	169	2,891	658	801

Table 32: Crop Production by Purpose and District for 2018/2019 Agricultural Year

District	Purpose			
	Crop	Consumption	Selling	Both Consumption and Selling
Botha-Bothe	Maize	3,429	0	99
	Wheat	189	0	0
	Sorghum	625	0	99
	Beans	187	0	0
	Peas	0	0	0
	Total	4,430	0	198
Leribe	Maize	10,596	0	0
	Wheat	680	0	0
	Sorghum	1,563	0	101
	Beans	3,306	114	218
	Peas	757	0	0
	Total	16,901	114	319
Berea	Maize	11,085	0	444
	Wheat	458	0	322
	Sorghum	2,256	0	596
	Beans	5,129	0	1,181
	Peas	442	0	476
	Total	19,370	0	3,019
Maseru	Maize	6,920	112	203
	Wheat	376	0	0
	Sorghum	2,957	0	417
	Beans	2,915	112	335
	Peas	272	0	0
	Total	13,439	224	954
Mafeteng	Maize	3,579	0	0
	Wheat	0	0	0
	Sorghum	411	174	0
	Beans	1,398	0	174
	Peas	629	0	0
	Total	6,017	174	174
Mohale's Hoek	Maize	4,061	0	101
	Wheat	1,145	0	0
	Sorghum	611	0	0
	Beans	1,213	0	0
	Peas	206	0	0
	Total	7,237	0	101
Quthing	Maize	1,374	0	0
	Wheat	99	0	0
	Sorghum	682	0	0
	Beans	900	0	106
	Peas	93	0	0
	Total	3,147	0	106
Qacha's Nek	Maize	3,308	0	0
	Wheat	388	0	0
	Sorghum	783	0	0
	Beans	1,244	85	365
	Peas	191	0	0
	Total	5,914	85	365
Mokhotlong	Maize	5,943	0	227
	Wheat	3,094	0	0
	Sorghum	212	0	0
	Beans	901	330	227
	Peas	605	0	0
	Total	10,755	330	455
Thaba-Tseka	Maize	7,830	103	620
	Wheat	3,360	103	0
	Sorghum	1,841	0	309
	Beans	1,737	205	410
	Peas	611	0	0
	Total	15,380	412	1,339
Lesotho		102,589	1,340	7,030